INDEX TO VOLUME 32

Subject Index

Abortion

Abortion training in U.S. obstetrics and gynecology residency programs, 1998, Almeling R, Tews L and Dudley S, p. 268.

Adolescent pregnancy and childbearing: levels and trends in developed countries, see **Teenagers**.

After abortion, Danish women's odds of preterm delivery are doubled, Digest, p. 200.

British general practitioners' attitudes toward abortion, see **Europe**.

Early medical abortion regimens using different dosages of mifepristone are equally successful, Digest, p. 259.

Impact of Mississippi's mandatory delay law on the timing of abortion, see **Law and Policy**.

Most abortion patients view their experience favorably, but medical abortion gets a higher rating than surgical, Digest, p. 264.

Nebraska abortion ban banned, Update, p. 154.

Number of abortion fell in 1997, Update, p. 54.

Studying the health effects of induced abortion, Letter, Henshaw SK, p. 305.

Teenage abortion and pregnancy statistics by state, 1996, Henshaw SK and Feivelson DJ, p. 272.

To prescribe or not to prescribe…, see **Service Providers**.

Trends in adolescent males' abortion attitudes, 1988–1995: differences by race and ethnicity, Boggess S and Bradner C, p. 118.

Barrier Methods

Condom users find baggy design an improvement over the standard version, Digest, p. 260.

Female condom use among women at high risk of sexually transmitted disease, Macaluso M, Demand M, Artz L, Fleenor M, Robey L, Kelaghan J, Cabral R and Hook III EW, p. 138.

Likelihood that a condom will break or slip off is at least partly related to user's characteristics, Digest, p. 52.

Relationship dynamics, ethnicity and condom use among low-income women, Soler H, Quadagno D, Sly DF, Riehman KS, Eberstein IW and Harrison DF, p. 82.

Breastfeeding

Boost the vitamin D, Update, p. 266.

Entry into prenatal care and breastfeeding initiation have increased in 13 states, see **Pregnancy and Childbirth**.

Contraception: General

Feel like a natural woman? Update, p. 55.

Will the pill become obsolete in this century? see **Oral Contraceptives**.

Contraceptive Practice

Are there unmet family planning needs in Europe? see **Europe**.

Are U.S. women interested in long-acting methods? Letter, Elliott K, p. 306.

Condom users find baggy design an improvement over the standard version, see **Barrier Methods**.

Contraception of the cognoscente, Update, p. 3.

Contraceptive use in Canada: 1984–1995, Martin K and Wu Z, p. 65.

Don't downplay the injectable, see **Hormonal Implants and Injectables**.

Factors affecting contraceptive use in women seeking pregnancy tests: Missouri, 1997, Sable MR, Libbus MK and Chiu J-E, p. 124.

Female condom use among women at high risk of sexually transmitted disease, see **Barrier Methods.**

Has Canadian contraceptive use really declined? Ross J, Letter, p. 192.

Low-dose pill with new progestogen is as effective as current formulations, see **Oral Contraceptives.**

Pill and men's involvement in contraception, see **Oral Contraceptives**.

Relationship context of contraceptive use at first intercourse, see **Sexual Behavior.**

Relationship dynamics, ethnicity and condom use among low-income women, see **Barrier Methods.**

Something new under the moon, see **Hormonal Implants and Injectables**.

Why are U.S. women not using long-acting contraceptives? Tanfer K, Wierzbicki S and Payn B, p. 176.

Contraceptive Research

Acceptability of a novel vaginal microbicide during a safety trail among low-risk women, see **Sexually Transmitted Diseases**.

In clinical trial, women using once-a-month injectable contraceptive avoid pregnancy and approve of method, see **Hormonal Implants and Injectables**.

Emergency Contraception

For some, the hotline is not so hot, Update, p. 155.

It's a knowledge thing, Update, p. 154.

O what a tangled web! Update, p. 103.

Should conscience be their guide? Update, p. 102.

UK druggists on emergency pills, Update, p. 2.

Europe

Are there unmet family planning needs in Europe? Klijzing E, p. 74.

British general practitioners' attitudes toward abortion, Francome C and Freeman E, p. 189.

Large immigration flows could help offset declines in developed populations, see **Fertility: Planning and Effects.**

Thank heaven for little…children, see **Fertility: Planning and Effects**.

Evaluation of Programs

Conducting adolescent sexuality research in schools: lessons learned, see **Sexuality Education**.

Cutting public funding for undocumented immigrants' prenatal care would raise the cost of neonatal care, Digest, p. 145.

Long-term outcomes of an abstinence-based, small-group pregnancy prevention program in New York City schools, Lieberman LD, Gray H, Wier M, Fiorentino R and Maloney P, p. 237.

Psychosocial factors and the timing of prenatal care among women in New Jersey's Health-Start program, see **Pregnancy and Childbirth**.

Repeated screening for sexually transmitted diseases in school programs lowers males' chlamydia rate, see **Sexually Transmitted Diseases**.

Using randomized designs to evaluate client-centered programs to prevent adolescent pregnancy, McBride D and Gienapp A, p. 227.

Fertility: Planning and Effects

Adolescent pregnancy and childbearing: levels and trends in developed countries, see **Teenagers**.

Are there unmet family planning needs in Europe? see **Europe**.

Degree of certainty about plans to have children strongly predicts whether individuals will do so, Digest, p. 46.

Explaining demographic trends in teenage fertility, 1980–1995, see **Teenagers**.

Large immigration flows could help offset declines in developed populations, Digest, p. 147.

Long-term outcomes of an abstinence-based, small-group pregnancy prevention program in New York City schools, see **Evaluation of Programs**.

Maternal factors and multiple births are main cause of poor birth outcomes after in vitro fertilization, see **Pregnancy and Childbirth**.

Partner effects on a woman's intention to conceive: 'not with this partner', Zabin LS, Huggins GR, Emerson MR and Cullins VE, p. 39.

Thank heaven for little…children, Update, p. 55.

Understanding pregnancy intentions: a problem in evidence everywhere, Barrett G and Wellings K, Letter, p. 194.

U.S. births rise for first time in eight years; births to teenagers still falling, Digest, p. 263.

Use of infertility services in the United States: 1995, Stephen EH and Chandra A, p. 132.

Women aged 15–29 are increasingly having first children before marriage, Digest, p. 99.

Women exposed to childhood abuse have elevated odds of unintended first pregnancy as adults, see **Sexual Behavior**.

Government Policy, Programming and Funding

Cutting public funding for undocumented immigrants' prenatal care would raise the cost of neonatal care, see **Evaluation of Programs**.

Many Medicaid recipients in managed care do not take full advantage of available prenatal benefits, see **Pregnancy and Childbirth**.

Nearing parity in obstetric care, Update, p. 102.

Psychosocial factors and the timing of prenatal care among women in New Jersey's Health-Start program, see **Pregnancy and Childbirth**.

Stem cell research: the rules, Update, p. 267.

Hormonal Implants and Injectables

Are U.S. women interested in long-acting methods? see **Contraceptive Practice**.

Changes in bone density associated with the use of hormonal methods are small and temporary, Digest, p. 312.

Don't downplay the injectable, Letter, Minkin MJ, p. 307.

In clinical trial, women using once-a-month injectable contraceptive avoid pregnancy and approve of method, Digest, p. 95; and Correction, p. 200.

Something new under the moon, Update, p. 266.

Why are U.S. women not using long-acting contraceptives? See **Contraceptive Practice**.

Law and Policy

Impact of Mississippi's mandatory delay law on the timing of abortion, Joyce T and Kaestner R, p. 4.

Nebraska abortion ban banned, see **Abortion**.

Males

Heterosexual genital sexual activity among adolescent males: 1988 and 1995, Research Note, Gates GJ and Sonenstein FL, p. 295.

Infants fathered by men who are exposed to radiation in the workplace have an elevated risk of being stillborn, see **Maternal and Child Health**.

Older, but not wiser: how men get information about AIDS and sexually transmitted diseases after high school, Bradner CH, Ku L and Lindberg LD, p. 33.

Pill and men's involvement in contraception, see **Oral Contraceptives**.

Repeated screening for sexually transmitted diseases in school programs lowers males' chlamydia rate, see **Sexually Transmitted Diseases.**

Reproductive health services typically are not part of male teenagers' routine medical care, Digest, p. 310.

Trends in adolescent males' abortion attitudes, 1988–1995: differences by race and ethnicity, see **Abortion**.

Marriage and the Family

Beyond marital status: relationship type and duration and risk of low birth weight, see **Pregnancy and Childbirth**.

Has there been a talk about sex? teenagers and their mothers often disagree, see **Teenagers**.

Mothers, daughters and the pill, see **Oral Contraceptives**.

Partner effects on a woman's intention to conceive: 'not with this partner', see **Fertility: Planning and Effects**.

Talk with *whom* about *what*? Update, p. 54.

Women aged 15–29 are increasingly having first children before marriage, see **Fertility: Planning and Effects**.

Maternal and Child Health

Boost the vitamin D, see **Breastfeeding**.

Cutting public funding for undocumented immigrants' prenatal care would raise the cost of neonatal care, see **Evaluation of Programs**.

Deficits from small size at birth do not extend to adults' emotional lives, Digest, p. 146.

Dig the music, babe, Update, p. 54.

Elevated breast cancer risk following a first birth declines with time; later pregnancies do not affect risk, see **Reproductive Health**.

Experts say Japan's medical delivery system is partly to blame for high level of maternal mortality there, see **Pregnancy and Childbirth**.

Good and bad news about smoking, Update, p. 155.

Health woes for smokers' babies, Update, p. 2.

Infants fathered by men who are exposed to radiation in the workplace have an elevated risk of being stillborn, Digest, p. 96.

New take on effects of intentions, see **Pregnancy and Childbirth**.

Preexisting factors, but not logistical barriers, inhibit timely use of prenatal care, see **Pregnancy and Childbirth**.

Some effects of home nurse visits to women in Memphis endure after the visits end, Digest, p. 198.

Very short and very long interpregnancy intervals raise odds of prematurity, Digest, p. 196.

Oral Contraceptives

Black women and the pill, Roberts D, Forum, p. 92.

Despite their elevated risk, very few women who use oral contraceptives will experience an ischemic stroke, Digest, p. 261.

Low- and high-dose pills are equally protective against ovarian cancer, Digest, p. 311.

Low-dose pill with new progestogen is as effective as current formulations, Digest, p. 260.

Mothers, daughters and the pill, Hillard PJA, Forum, p. 91.

Pill and men's involvement in contraception, Darroch JE, Forum, p. 90.

So, about that pill scare…, Update, p. 267.

Whose pill is it, anyway? Nelson AL, Forum, p. 89.

Will the pill become obsolete in this century? Guillebaud J, Forum, p. 93.

Population and Policy Research

Americans' opinions on population issues are strong, although their knowledge of the issues is poor, see **Public Opinion**.

Honey, we shrunk the population, Update, p. 54.

Large immigration flows could help offset declines in developed populations, see **Fertility: Planning and Effects.**

Pregnancy and Childbirth

After abortion, Danish women's odds of preterm delivery are doubled, see **Abortion**.

Beyond marital status: relationship type and duration and the risk of low birth weight, Bird ST, Chandra A, Bennett T and Harvey SM, p. 281.

Cutting public funding for undocumented immigrants' prenatal care would raise the cost of neonatal care, see **Evaluation of Programs**.

Entry into prenatal care and breastfeeding initiation have increased in 13 states, Digest, p. 51.

Experts say Japan's medical delivery system is partly to blame for high level of maternal mortality there, Digest, p. 309.

How'd all these triplets get here? Update, p. 203.

Impact of perceived stress, major life events and pregnancy attitudes on low birth weight, Sable MR and Wilkinson DS, p. 288.

It pays to prevent HIV, see **Sexually Transmitted Diseases.**

Many Medicaid recipients in managed care do not take full advantage of available prenatal benefits, Digest, p. 49.

Maternal factors and multiple births are main cause of poor birth outcomes after in vitro fertilization, Digest, p. 149.

Nearing parity in obstetric care, see **Government Policy, Programming and Funding.**

New take on effects of intentions, Update, p. 103.

No pain, no gain, no pregnancy? Update, p. 102.

Poor psychosocial support raises the odds of having an underweight infant, Digest, p. 150.

Preexisting factors, but not logistical barriers, inhibit timely use of prenatal care, Digest, p. 262.

Pregnancy and alcohol: many obstetrician-gynecologists are unsure about risks or how to assess women's use, see **Service Providers**.

Prenatal HIV services conundrum, see **Sexually Transmitted Diseases**.

Psychosocial factors and the timing of prenatal care among women in New Jersey's Health-Start program, Pagnini DL and Reichman NE, p. 56.

Teenage abortion and pregnancy statistics by state, 1996, see **Abortion**.

Public Opinion

Americans' opinions on population issues are strong, although their knowledge of the issues is poor, Digest, p. 195.

Trends in adolescent males' abortion attitudes: differences by race and ethnicity, see **Abortion**.

U.S. public on AIDS in Africa, Update, p. 202.

Reproductive Health

Elevated breast cancer risk following a first birth declines with time; later pregnancies do not affect risk, Digest, p. 197.

Fertility drugs do not raise breast, ovarian or uterine cancer risk, Digest, p. 100.

Hormone therapy and breast cancer, Update, p. 55.

Infertility: a mind-body problem? Update, p. 155.

Is sex better after hysterectomy? Update, p. 2.

Late diagnosis of cervical cancer, Update, p. 203.

Low- and high dose pills are equally protective against ovarian cancer, see **Oral Contraceptives.**

Price of pelvic disease, Update, p. 155.

Reproductive health services typically are not part of male teenagers' routine medical care, see **Males**.

Risk of delayed conception is sharply elevated among obese women who smoke, Digest, p. 313.

Who sticks with hormone therapy? Update, p. 155.

Whose pill is it, anyway? see **Oral Contraceptives**.

Service Providers

Abortion training in U.S. obstetrics and gynecology residency programs, 1998, see **Abortion**.

British general practitioners' attitudes toward abortion, see **Europe**.

Don't know much about history, Update, p. 3.

Experts say Japan's medical delivery system is partly to blame for high level of maternal mortality there, see **Pregnancy and Childbirth**.

Factors affecting contraceptive use in women seeking pregnancy tests: Missouri, 1997, see **Contraceptive Practice.**

Gaps in family planning training, Update, p. 3.

Male youths prefer women doctors, Update, p. 55.

Pregnancy and alcohol: many obstetrician-gynecologists are unsure about risks or how to assess women's use, Digest, p. 308.

Reproductive health services typically are not part of male teenagers' routine medical care, see **Males**.

Some effects of home nurse visits to women in Memphis endure after the visits end, see **Maternal and Child Health**.

Three's a crowd, Update, p. 203.

To prescribe or not to prescribe…, Update, p. 202.

Use of infertility services in the United States: 1995, see **Fertility: Planning and Effects**.

What do the professionals know? Update, p. 266.

Whose pill is it, anyway? see **Oral Contraceptives.**

Sexual Behavior

Adolescent sexual behavior: estimates and trends from four nationally representative surveys, see **Teenagers**.

As many lesbians have had sex with men, taking a full sexual history is important, Digest, p. 97.

Geek love (or lack thereof), see **Teenagers.**

Has there been a talk about sex? teenagers and their mothers often disagree, see **Teenagers**.

Heterosexual genital sexual activity among adolescent males: 1988 and 1995, see **Males**.

Is teenage motherhood a good idea? see **Teenagers.**

Kids say the darnedest things, see **Teenagers**.

Odds of spousal infidelity are influenced by social and demographic factors, Digest, p. 148.

Oral sex among adolescents: is it sex or is it abstinence? Special Report, Remez L, p. 298.

Range of risky behaviors is tied to risk of multiple partners among teenagers, see **Teenagers**.

Reconceptualizing adolescent sexual behavior: beyond did they or didn't they? see **Teenagers.**

Relationship context of contraceptive use at first intercourse, Manning WD, Longmore MA and Giordano PC, p. 104.

Sexual orientation and health care, Update, p. 202.

Social factors play major role in making young people sexual risk-takers, Digest, p. 50.

Women exposed to childhood abuse have elevated odds of unintended first pregnancy as adults, Digest, p. 47.

Sexuality Education

Adolescents' reports of reproductive health education, 1988 and 1995, Lindberg LD, Ku L and Sonenstein F, p. 220.

Can the mass media be healthy sex educators? Forum, Brown JD and Keller SN, p. 255.

Changing emphases in sexuality education in U.S. public secondary schools, 1988–1999, Darroch JE, Landry DJ and Singh S, p. 204.

Conducting adolescent sexuality research in schools: lessons learned, Comment, Blinn-Pike L, Berger T and Rea-Holloway M, p. 246.

Long-term outcomes of an abstinence-based, small-group pregnancy prevention program in New York City schools, see **Evaluation of Programs**.

No sexuality education *is* sexuality education, Forum, Snegroff S, p. 257.

Older, but not wiser: how men get information about AIDS and sexually transmitted diseases after high school, see **Males**.

Sexuality education in fifth and sixth grades in U.S. public schools, 1999, Landry DJ, Singh S and Darroch JE, p. 212.

Sexuality education: our current status, and an agenda for 2010, Viewpoint, Wilson SN, p. 252.

Sexually Transmitted Diseases

Acceptability of a novel vaginal microbicide during a safety trial among low-risk women, Bentley ME, Morrow KM, Fullem A, Chesney MA, Horton SD, Rosenberg Z and Mayer KH, p. 184.

As many lesbians have had sex with men, taking a full sexual history is important, see **Sexual Behavior**.

Female condom use among women at high risk of sexually transmitted disease, see **Barrier Methods.**

HIV and AIDS trends in Japan, Update, p. 54.

It pays to prevent HIV, Update, p. 103.

Jailed youths have HIV smarts, Update, p. 2.

Medicine goes down, Update, p. 2.

Neighborhood economic conditions influence AIDS incidence in Massachusetts, Digest, p. 313.

Nix to nonoxynol-9 to prevent HIV, Update, p. 266.

Older, but not wiser: how men get information about AIDS and sexually transmitted diseases after high school, see **Males**.

Oral sex among adolescents: is it sex or is it abstinence? see **Sexual Behavior**.

Prenatal HIV services conundrum, Update, p. 267.

Prevalence of HIV with syphilis, Update, p. 55.

Repeated screening for sexually transmitted diseases in school programs lowers males' chlamydia rate, Digest, p. 98.

Screening misses important group, see **Teenagers**.

Sexually transmitted diseases among adolescents in developed countries, see **Teenagers**.

Surprisingly low sexually transmitted disease rates found among drug users, Digest, p. 48.

Time to stamp out syphilis, Update, p. 102.

Windows on the risk of gonorrhea, Update, p. 154.

Teenagers

Adolescent pregnancy and childbearing: levels and trends in developed countries, Singh S and Darroch, JE, p. 14.

Adolescent sexual behavior: estimates and trends from four nationally representative surveys, Santelli JS, Lindberg LD, Abma J, McNeely CS and Resnick M, p. 156.

Adolescents' reports of reproductive health education, 1988 and 1995, see **Sexuality Education**.

Ask the experts, Update, p. 203.

Can the mass media be healthy sex educators?

see **Sexuality Education**.

Changing emphases in sexuality education in U.S. public secondary schools, 1988–1999, see **Sexuality Education**.

Conducting adolescent sexuality research in schools: lessons learned, see **Sexuality Education**.

Explaining demographic trends in teenage fertility, 1980–1995, Manlove J, Terry E, Gitelson L, Papillo AR and Russell S, p. 166.

Geek love (or lack thereof), Update, p. 103.

Has there been a talk about sex? teenagers and their mothers often disagree, Digest, p. 199.

Heterosexual genital sexual activity among adolescent males: 1988 and 1995, see **Males**.

Is teenage motherhood a good idea? Update, p. 102

Kids say the darnedest things, Update, p. 154.

Long-term outcomes of an abstinence-based, small-group pregnancy prevention program in New York City schools, see **Evaluation of Programs**.

No sexuality education *is* sexuality education, see **Sexuality Education**.

Oral sex among adolescents: is it sex or is it abstinence? see **Sexual Behavior**.

Range of risky behaviors is tied to risk of multiple partners among teenagers, Digest, p. 100.

Reconceptualizing adolescent sexual behavior: beyond did they or didn't they? Whitaker DJ, Miller KS and Clark LF, p. 111.

Relationship context of contraceptive use at first intercourse, see **Sexual Behavior**.

Repeated screening for sexually transmitted diseases in school programs lowers males' chlamydia rate, see **Sexually Transmitted Diseases**.

Reproductive health services typically are not part of male teenagers' routine medical care, see **Males**.

Screening misses important group, Update, p. 267.

Sexuality education in fifth and sixth grades in U.S. public schools, see **Sexuality Education**.

Sexually transmitted diseases among adolescents in developed countries, Panchaud C, Singh S, Feivelson D and Darroch JE, p. 24.

Social factors play major role in making young people sexual risk-takers, see **Sexual Behavior**.

Teenage abortion and pregnancy statistics by state, 1996, see **Abortion**.

Teenagers educating teenagers about reproductive health and their rights to confidential care, Forum, Yanda K, p. 256.

Teenagers' test taking skills, Update, p. 202.

Too much too soon? Update, p. 203.

Trends in adolescent males' abortion attitudes, 1988–1995: differences by race and ethnicity, see **Abortion.**

U.S. births rise for first time in eight years; births to teenagers still falling, see **Fertility: Planning and Effects.**

Using randomized designs to evaluate client-centered programs to prevent adolescent pregnancy, see **Evaluation of Programs.**

Author Index

Abma J, see Santelli JS.

Almeling R, Tews L and Dudley S, Abortion training in U.S. obstetrics and gynecology residency programs, 1998, p. 268.

Artz L, see Macaluso M.

Barrett G and Wellings K, Understanding pregnancy intentions: a problem in evidence everywhere, Letter, p. 194.

Bennett T, see Bird ST.

Bentley ME, Morrow KM, Fullem A, Chesney MA, Horton SD, Rosenberg Z and Mayer KH, Acceptability of a novel vaginal microbicide during a safety trial among low-risk women, p. 184.

Berger T, see Blinn-Pike L.

Bird ST, Chandra A, Bennett T and Harvey SM, Beyond marital status: relationship type and duration and the risk of low birth weight, p. 281.

Blinn-Pike L, Berger T and Rea-Holloway M, Conducting adolescent sexuality research in schools: lessons learned, Comment, p. 246.

Boggess S and Bradner C, Trends in adolescent males' abortion attitudes, 1988–1995: differences by race and ethnicity, p. 118.

Bradner C, see Boggess S.

Bradner CH, Ku L and Lindberg LD, Older, but not wiser: how men get information about AIDS and sexually transmitted diseases after high school, p. 33.

Brown JD and Keller SN, Can the mass media be healthy sex educators? Forum, p. 255.

Cabral R, see Macaluso M.

Chandra A, see Bird ST; Stephen EH.

Chesney MA, see Bentley ME.

Chiu J-E, see Sable MJ.

Clark LF, see Whitaker DJ.

Cullins VE, see Zabin LS.

Darroch JE, Landry DJ and Singh S, Changing emphases in sexuality education in U.S. public secondary schools, 1988–1999, p. 204.

Darroch JE, The pill and men's involvement in contraception, Forum, p. 90; see also Singh S; Panchaud C; Landry DJ.

Demand M, see Macaluso M.

Dudley S, see Almeling R.

Eberstein IW, see Soler H.

Elliott K, Are U.S. women interested in long-acting methods? Letter, p. 306.

Emerson MR, see Zabin LS.

Feivelson D, see Henshaw SK; Panchaud C.

Fiorentino R, see Lieberman LD.

Fleenor M, see Macaluso M.

Francome C and Freeman E, British general practitioners' attitudes toward abortion, p. 189.

Freeman E, see Francome C.

Fullem A, see Bentley ME.

Gates GJ and Sonenstein FL, Heterosexual genital sexual activity among adolescent males: 1988 and 1995, p. 295.

Gienapp A, see McBride D.

Giordano PC, see Manning WD.

Gitelson L, see Manlove J.

Gray H, see Lieberman LD.

Guillebaud J, Will the pill become obsolete in this century? Forum, p. 93.

Harrison DF, see Soler H.

Harvey SM, see Bird ST.

Henshaw SK, Studying the health effects of induced abortion, Letter, p. 305.

Henshaw SK and Feivelson DJ, Teenage abortion and pregnancy statistics by state, 1996, p. 272.

Hillard PJA, Mothers, daughters and the pill, Forum, p. 91.

Hook III EW, see Macaluso M.

Horton SD, see Bentley ME.

Huggins GR, see Zabin LS.

Joyce T and Kaestner R, The impact of Mississippi's mandatory delay law on the timing of abortion, p. 4.

Kaestner R, see Joyce T.

Kelaghan J, see Macaluso M.

Keller SN, see Brown JD.

Klijzing E, Are there unmet family planning needs in Europe? p. 74.

Ku L, see Bradner CH; Lindberg LD.

Landry DJ, Singh S and Darroch JE, Sexuality education in fifth and sixth grades in U.S. public schools, 1999, p. 212.

Landry DJ, see Darroch JE.

Libbus MK, see Sable MR.

Lieberman LD, Gray H, Wier M, Fiorentino R and Maloney P, Long-term outcomes of an abstinence-based, small-group pregnancy prevention program in New York City schools, p. 237.

Lindberg LD, Ku L and Sonenstein F, Adolescents' reports of reproductive health education, 1988 and 1995, p. 220.

Lindberg LD, see Bradner CH; Santelli JS.

Longmore MA, see Manning WD.

Macaluso M, Demand M, Artz L, Fleenor M, Robey L, Kelaghan J, Cabral R and Hook III EW, Female condom use among women at high risk of sexually transmitted disease, p. 138.

Maloney P, see Lieberman LD.

Manlove J, Terry E, Gitelson L, Papillo AR and Russell S, Explaining demographic trends in teenage fertility, 1980–1995, p. 166.

Manning WD, Longmore M and Giordano PC, The relationship context of contraceptive use

at first intercourse, p. 104.

Martin K and Wu Z, Contraceptive use in Canada: 1984–1995, p. 65.

Mayer KH, see Bentley ME.

McBride D and Gienapp A, Using randomized designs to evaluate client-centered programs to prevent adolescent pregnancy, p. 227.

McNeely CS, see Santelli JS.

Miller KS, see Whitaker DJ.

Minkin MJ, Don't downplay the injectable, Letter, p. 306.

Morrow KM, see Bentley ME.

Nelson A, Whose pill is it, anyway? Forum, p. 89.

Pagnini DL and Reichman NE, Psychosocial factors and the timing of prenatal care among women in New Jersey's HealthStart program, p. 56.

Panchaud C, Singh S, Feivelson D and Darroch JE, Sexually transmitted diseases among adolescents in developed countries, p. 24.

Papillo AR, see Manlove, J.

Payn B, see Tanfer K.

Quadagno D, see Soler H.

Rea-Holloway M, see Blinn-Pike L.

Reichman NE, see Pagnini DL.

Remez L, Oral sex among adolescents: is it sex or is it abstinence? Special Report, p. 298.

Resnick M, see Santelli JS.

Riehman KS, see Soler H.

Roberts D, Black women and the pill, Forum, p. 92.

Robey L, see Macaluso M.

Rosenberg Z, see Bentley ME.

Ross J, Has Canadian contraceptive use really declined? Letter, p. 192.

Russell S, see Manlove J.

Sable MR, Libbus MK and Chiu J-E, Factors affecting contraceptive use in women seeking pregnancy tests: Missouri, 1997, p. 124.

Sable MR and Wilkinson DS, Impact of perceived stress, major life events and pregnancy attitudes on low birth weight, p. 288.

Santelli JS, Lindberg LD, Abma J, McNeely CS, and Resnick M, Adolescent sexual behavior: estimates and trends from four nationally representative surveys, p. 156.

Singh S and Darroch JE, Adolescent pregnancy and childbearing: levels and trends in developed countries, p. 14.

Singh S, see Darroch J; Landry DJ; Panchaud C.

Sly DF, see Soler H.

Soler H, Quadagno D, Sly DF, Riehman KS, Eberstein IW and Harrison DF, Relationship dynamics, ethnicity and condom use among low-income women, p. 82.

Sonenstein, see Gates GJ; Lindberg LD.

Snegroff S, No sexuality education is sexuality education, Forum, p. 257.

Stephen EH and Chandra A, Use of fertility services in the United States: 1995, p. 132.

Tanfer K, Wierzbicki S and Payn B, Why are U.S. women not using long-acting contraceptives? p. 176.

Terry E, see Manlove J.

Tews L, see Almeling R.

Wellings K, see Barrett G.

Whitaker DJ, Miller KS and Clark LF, Reconceptualizing adolescent sexual behavior: beyond did they or didn't they? p. 111.

Wier M, see Lieberman LD.

Wierzbicki S, see Tanfer K.

Wilkinson DS, see Sable MR.

Wilson SN, Sexuality education: our current status, and an agenda for 2010, Viewpoint, p. 252.

Wu Z, see Martin K.

Yanda K, Teenagers educating teenagers about their reproductive health and their rights to confidential care, Forum, p. 256.

Zabin LS, Huggins GR, Emerson MR and Cullins VE, Partner effects on a woman's intention to conceive: 'not with this partner', p. 39.